

# **Vol. 233**

# **Contents**

**2004**



## Contents of *Aquaculture*, Volume 233

**VOL. 233 NOS. 1–4**

**26 April 2004**

### **Diseases**

- Selection of probiotic bacteria and study of their immunostimulatory effect in *Penaeus vannamei*  
M. Gullian (Guayaquil, Ecuador), F. Thompson (Ghent, Belgium) and J. Rodriguez (Guayaquil, Ecuador) ..... 1
- Survival of *Streptococcus agalactiae* from frozen fish following natural and experimental infections  
J.J. Evans, A.A. Wiedenmayer (Chestertown, MD, USA), P.H. Klesius and C.A. Shoemaker (Auburn, AL, USA) ..... 15
- Effect of Fucoidan on Disease Resistance of Black Tiger Shrimp  
W. Chotigeat, S. Tongsupa, K. Supamataya and A. Phongdara (Songkhla, Thailand) ..... 23
- Effects of including cationic proteins from cod milt in the feed to Atlantic cod (*Gadus morhua*) fry during a challenge trial with *Vibrio anguillarum*  
G.M. Pedersen, A. Gildberg and R.L. Olsen (Tromsø, Norway) ..... 31
- The effect of parasitism of European eels with the nematode, *Anguillicola crassus* on the impact of netting and aerial exposure  
M.J. Gollock, C.R. Kennedy (Devon, UK), E.S. Quabius (Aberdeen, UK) and J.A. Brown (Devon, UK) ..... 45
- Persistence of residues of malachite green in juvenile eels (*Anguilla anguilla*)  
A.A. Bergwerff, R.V. Kuiper and P. Scherpenisse (Utrecht, The Netherlands) ..... 55

### **Genetics**

- Relatedness determination in the absence of pedigree information in three cultured strains of rainbow trout (*Oncorhynchus mykiss*)  
G.J. McDonald, R.G. Danzmann and M.M. Ferguson (Guelph, Ontario, Canada) ..... 65
- Induction and evaluation of triploidy in the Australian blacklip abalone, *Haliotis rubra*: a preliminary study  
W. Liu (Coffs Harbour, NSW, Australia), M. Heasman (Taylors Beach, NSW, Australia) and R. Simpson (Coffs Harbour, NSW, Australia) ..... 79
- Studies on triploid oysters in Australia: XIII. Performance of diploid and triploid Sydney rock oyster, *Saccostrea glomerata* (Gould, 1850), progeny from a third generation breeding line  
R.E. Hand, J.A. Nell (Taylors Beach, NSW, Australia) and P.A. Thompson (Hobart, TAS, Australia) ..... 93
- Loss of genetic variation at microsatellite loci in hatchery produced abalone in Australia (*Haliotis rubra*) and South Africa (*Haliotis midae*)  
B. Evans (Hobart, Tas., Broadway, NSW, Townsville, Australia), J. Bartlett (Hobart, Tas., Australia), N. Sweijd, P. Cook (Cape Town, South Africa) and N.G. Elliott (Hobart, Tas., Australia) ..... 109
- Aspects of red and black color inheritance in the Japanese ornamental (Koi) carp (*Cyprinus carpio* L.)  
L. David (Stanford, CA, USA; Rehovot, Israel), S. Rothbard, I. Rubinstein (Gan Shmuel, Israel), H. Katzman (Rehovot, Israel), G. Hulata (Bet-Dagan, Israel), J. Hillel (Rehovot, Israel) and U. Lavi (Bet-Dagan, Israel) ..... 129

|   |     |
|---|-----|
| Genetic variation among seven strains of <i>Dunaliella salina</i> (Chlorophyta) with industrial potential, based on RAPD banding patterns and on nuclear ITS rDNA sequences<br>P.I. Gómez and M.A. González (Concepción, Chile) . . . . .   | 149 |
| Relatedness inferred from microsatellite genotypes as a tool for broodstock management of Japanese flounder <i>Paralichthys olivaceus</i><br>M. Sekino (Miyagi, Japan), T. Sugaya (Oita, Japan), M. Hara (Mie, Japan) and N. Taniguchi (Miyagi, Japan) . . . . .  | 163 |
| <b>Husbandry and Management</b>   |     |
| Minimizing the effects of stress during eyestalk ablation of <i>Litopenaeus vannamei</i> females with topical anesthetic and a coagulating agent<br>J. Taylor (Nanaimo, BC, Canada), L. Vinatea, R. Ozorio, R. Schuweitzer and E.R. Andreatta (SC, Brazil) . . . . .  | 173 |
| Criteria for assessing larval and postlarval quality of Pacific white shrimp ( <i>Litopenaeus vannamei</i> , Boone, 1931)<br>I.S. Racotta, E. Palacios, R. Hernández-Herrera, A. Bonilla, C.I. Pérez-Rostro and J.L. Ramírez (La Paz, B.C.S., Mexico) . . . . .   | 181 |
| Effects of diuron and other aerially applied cotton herbicides and defoliants on the plankton communities of aquaculture ponds<br>P.W. Perschbacher (Pine Bluff, AR, USA) and G.M. Ludwig (Stuttgart, AR, USA) . . . . .  | 197 |
| The effects of lowering prey density on the growth, survival and foraging behaviour of larval fat snook ( <i>Centropomus parallelus</i> poey 1860)<br>S. Temple (Victoria, British Columbia, Canada), V.R. Cerqueira (Santa Catarina, Brazil) and J.A. Brown (St. John's, Newfoundland, Canada) . . . . .           | 205 |
| Plankton community responses in earthen channel catfish nursery ponds under various fertilization regimes<br>C.C. Mischke and P.V. Zimba (Stoneville, MS, USA) . . . . .  | 219 |
| Size hierarchies affecting the social interactions and growth of juvenile Japanese flounder, <i>Paralichthys olivaceus</i><br>S.-Z. Dou (Nakano, Japan; Qingdao, P.R. China), R. Masuda (Maizuru, Japan), M. Tanaka (Kyoto, Japan) and K. Tsukamoto (Nakano, Japan) . . . . .                                       | 237 |
| Releasing of hatchery-reared juveniles of the white seabream <i>Diplodus sargus</i> (L., 1758) in the Gulf of Castellammare artificial reef area (NW Sicily)<br>G. D'Anna, V.M. Giacalone, F. Badalamenti and C. Pipitone (Castellammare del Golfo (TP), Italy) . . . . .   | 251 |
| Use of artificial light to control swimming depth and fish density of Atlantic salmon ( <i>Salmo salar</i> ) in production cages<br>J.-E. Juell and J.E. Fosseidengen (Matredal, Norway) . . . . .  | 269 |
| Evaluating the active redox and organic fractions in pond bottom soils: EOM, easily oxidized material<br>Y. Avnimelech, G. Ritvo and M. Kochva (Haifa, Israel) . . . . .  | 283 |
| <b>Nutrition</b>  |     |
| A balanced dietary amino acid profile improves amino acid retention in post-larval Senegalese sole ( <i>Solea senegalensis</i> )<br>C. Aragão, L.E.C. Conceição (Faro, Portugal), D. Martins (Porto, Portugal), I. Rønnestad (Bergen, Norway), E. Gomes (Porto, Portugal) and M.T. Dinis (Faro, Portugal) . . . . . | 293 |
| Characterization of digestive enzymes in a carnivorous ornamental fish, the Asian bony tongue <i>Scleropages formosus</i> (Osteoglossidae)<br>Y. Natalia, R. Hashim, A. Ali and A. Chong (Penang, Malaysia) . . . . .   | 305 |
| Positional distribution of DHA and EPA in triacyl-sn-glycerols (TAG) of <i>Artemia franciscana</i> nauplii enriched with fish oils ethyl esters and TAG<br>Y. Ando, H. Samoto and Y. Murayama (Hakodate, Japan) . . . . .   | 321 |

|   |     |
|---|-----|
| Effect of urchin size and diet on gonad yield and quality in the green sea urchin ( <i>Strongylocentrotus droebachiensis</i> )<br>C.M. Pearce (Nanaimo, British Columbia, Canada), T.L. Daggett (Grand Manan, New Brunswick, Canada) and S.M.C. Robinson (St. Andrews, New Brunswick, Canada) . . . . .   | 337 |
| Urinary phosphorus excretion in haddock, <i>Melanogrammus aeglefinus</i> (L.) and Atlantic salmon, <i>Salmo salar</i> (L.)<br>P.K. Roy and S.P. Lall (Halifax, NS, Canada) . . . . .  | 369 |
| Effects of dietary ascorbic acid on oxygen stress (hypoxia or hyperoxia), growth and tissue vitamin concentrations in juvenile rainbow trout ( <i>Oncorhynchus mykiss</i> )<br>K. Dabrowski, K.-J. Lee (Columbus, OH, USA), L. Guz (Lublin, Poland), V. Verlhac and J. Gabaudan (Saint-Louis, France) . . . . .   | 383 |
| Self-feeding of European sea bass ( <i>Dicentrarchus labrax</i> , L.) under laboratory and farming conditions using a string sensor<br>V.C. Rubio, M. Vivas, A. Sánchez-Mut, F.J. Sánchez-Vázquez (Murcia, Spain), D. Covès, G. Dutto (Palavas, France) and J.A. Madrid (Murcia, Spain) . . . . .   | 393 |
| Comparison of gonad quality factors: color, hardness and resilience, of <i>Strongylocentrotus franciscanus</i> between sea urchins fed prepared feed or algal diets and sea urchins harvested from the Northern California fishery<br>S.C. McBride (Eureka, CA, USA), R.J. Price, P.D. Tom (Davis, CA, USA), J.M. Lawrence (Tampa, FL, USA) and A.L. Lawrence (Port Aransas, TX, USA) . . . . . | 405 |
| Replacement of dietary fish oil with palm fatty acid distillate elevates tocopherol and tocotrienol concentrations and increases oxidative stability in the muscle of African catfish, <i>Clarias gariepinus</i><br>W.-K. Ng, Y. Wang, P. Ketchimenin and K.-H. Yuen (Penang, Malaysia) . . . . .   | 423 |
| Effect of stressors on shrimp digestive enzymes from assays of feces: an alternate method of evaluation<br>J.H. Córdova-Murueta, F.L. García-Carreño and M.A. Navarrete-del-Toro (Baja California, Mexico) . . . . .  | 439 |
| Influence of diet on broodstock lipid and fatty acid composition and larval competency in the spiny lobster, <i>Jasus edwardsii</i><br>G.G. Smith (Launceston, Taroona, Tas., Australia), A.J. Ritar (Taroona, Tas., Australia), D. Johnston (Launceston, Tas., Australia) and G.A. Dunstan (Hobart, Tas., Australia) . . . . .   | 451 |
| Lipid spray beads for delivery of riboflavin to first-feeding fish larvae<br>U. Önal (Çanakkale, Turkey) and C. Langdon (Newport, OR, USA) . . . . .  | 477 |
| Characterization of lipid spray beads for delivery of glycine and tyrosine to early marine fish larvae<br>U. Önal (Çanakkale, Turkey) and C. Langdon (Newport, OR, USA) . . . . .   | 495 |
| <b>Physiology and Endocrinology</b>   |     |
| Temperature influence on the development and loss of seawater tolerance in two fast-growing strains of Atlantic salmon<br>S.O. Handeland, E. Wilkinson, B. Sveinsbø (Bergen, Norway), S.D. McCormick (Turner Falls, MA, USA) and S.O. Stefansson (Bergen, Norway) . . . . .   | 513 |
| Physiological responses of hybrid striped bass under sedation by several anesthetics<br>K.B. Davis and B.R. Griffin (Stuttgart, AR, USA) . . . . .  | 531 |
| Individually specific seasonal cycles of embryonic development in cultured broodstock females of the black rockfish, <i>Sebastes schlegeli</i><br>M. Nakagawa (Miyako, Japan) and K. Hirose (Tokyo, Japan) . . . . .  | 549 |
| Changes of protein-bound and free amino acids in the muscle of the freshwater prawn <i>Macrobrachium nipponense</i> in different salinities<br>W.-N. Wang (Guangzhou, Beijing, PR China), A.-L. Wang (Guangzhou, PR China), L. Bao, J.-P. Wang (Baoding, PR China), Y. Liu (Guangzhou, PR China) and R.-Y. Sun (Guangzhou, Beijing, PR China) . . . . .   | 561 |
| Ammonia efflux rates and free amino acid levels in <i>Litopenaeus vannamei</i> postlarvae during sudden salinity changes<br>G.-J. Silvia, U.-R. Abel Antonio, V.-O. Francisco and H.-W. Georgina (Hermosillo, Mexico) . . . . .   | 573 |